

References, Maura Tresch Article in Chicago Medicine (Jan. 2016)

Alexander CN, Robinson P, Rainforth MV. Treating alcohol, nicotine, and drug abuse through Transcendental Meditation: A review and statistical meta-analysis. *Alcohol Treatment Quarterly*, 1994; 11: 13-87.

Anxiety and Depression Association of America. Facts and Statistics. 2015; Available from: <http://www.adaa.org/about-adaa/press-room/facts-statistics>.

Brook RD, Appel RJ, Rubenfire M. Beyond medications and diet: alternative approaches to lowering blood pressure: a scientific statement from the American Heart Association. *Hypertension*, 2013; 61(6):1360–1383.

Cahn, BR, & Polich, J Meditation states and traits: EEG, ERP, and neuroimaging studies. *Psychological Bulletin*, 2006; 132(2), 180-211. doi: 10.1037/0033-2909.132.2.180

Castillo-Richmond AB, Schneider RH, Alexander CN, Cook R, Myers H, Nidich S, Haney C, Rainforth M, Salerno J. Effects of stress reduction on carotid atherosclerosis in hypertensive African-Americans. *Stroke*, 2000; 31: 568-573.

Dillbeck, MC, Orme-Johnson, DW. Physiological differences between transcendental meditation and rest. *American Psychologist*, Sep 1987, Vol 42(9), 879-881.

Eppley K, Abrams AI, Shear J. Differential effects of relaxation techniques on trait anxiety: A meta-analysis. *Journal of Clinical Psychology*. 1989;45(6):957–74.

Hebert JR, Lehmann D, Tan G, Travis FT, Arenander A. Enhanced EEG alpha time-domain phase synchrony during Transcendental Meditation: Implications for cortical integration theory. *Signal Processing*, 2005; 85(11):2213-2232.

Herron, Robert E. *New Knowledge for New Results: A Comprehensive Strategy for Reducing Skyrocketing Medical Costs*. 2008: First World Publishing, p. 106.

Herron, R and Cavanaugh, K. Can the Transcendental Meditation program reduce the medical expenditures of older people? A longitudinal cost-reduction study in Canada. *Journal of Social Behavior and Personality* 2005; 17: 415–442.

Herron R, Hillis S. The impact of the Transcendental Meditation program on government payments to physicians in Quebec: An update. *American Journal of Health Promotion*, 2000; 14(5): 284–291.

Herron RE, Schneider RH, Mandarino JV, Alexander, CN, Walton KG. Cost-effective hypertension management: Comparison of drug therapies with an alternative program. *American Journal of Managed Care*, 1996; 2(4): 427–437.

Jevning R, Wilson AF, Davidson JM. Adrenocortical activity during meditation. *Hormones and Behavior*, 1978; 10(1):54-60.

Klimesch, W., Schack B., Sauseng P. "The functional significance of theta and upper alpha oscillations for working memory: a review." *Experimental Psychology* 52 (2005): 99–108.

Mozzafarian D, Benjamin EJ, Go AS. Heart Disease and Stroke Statistics-2015 Update: a report from the American Heart Association. *Circulation*, 2015; e:29-322.NEW 18

Newberg A, Travis F, Wintering N, Nidich S, Alavi A, Schneider R. Neural imaging [conference]. Miami, FL; 2006.

Nwankwo T, Yoon SS, Burt V, Gu Q. Hypertension among adults in the US: National Health and Nutrition Examination Survey, 2011-2012. [NCHS data brief]. Hyattsville, MD: National Center for Health Statistics, Centers for Disease Control and Prevention, US Dept of Health and Human Services; 2013; No. 133.

Orme-Johnson DW. Medical care utilization and the Transcendental Meditation Program. *Psychosomatic Medicine*, 1987; 49:493-507, 1987.

Orme-Johnson DW, Barnes VA. Effects of the Transcendental Meditation technique on trait anxiety: A meta-analysis of randomized controlled trials. *Journal of Alternative and Complementary Medicine*, 2013; 19: 1-12.

Orme-Johnson DW, Schneider RH, Son YD, Nidich S, Cho Z-H. Neuroimaging of meditation's effect on brain reactivity to pain. *Neuroreport*, 2006;17(12):1359-1363.

Palva, S., Palva J. M. "New vistas for α -frequency band oscillations." *Trends in Neurosciences* 30, no. 4 (2007): 150-158.

Paul-Labrador M, Polk D, Dwyer JH. Effects of a randomized controlled trial of Transcendental Meditation on components of the Metabolic Syndrome in subjects with coronary heart disease. *Arch Intern Med*, 2006; 166(11):1218-1224..

Peyron R, Laurent B, Garcia-Larrea L. Functional imaging of brain responses to pain: A review and meta-analysis. *Neurophysiol Clin*, 2000; 5:263–288.

Rainforth M, Schneider RH, Nidich S, Gaylord-King C, Salerno JW, Anderson JW. Meta-Analysis II: Decreased blood pressure Transcendental Meditation compared to other techniques. *Current Hypertension Reports*, 2007; 9 (6): 520-528.

Rosengren A, Hawken S, Ounpuu S, et al, for the INTERHEART investigators. Association of psychosocial risk factors with risk of acute myocardial infarction in 11 119 cases and 13 648 controls from 52 countries (the INTERHEART study): case-control study. *Lancet*, 2004; 364:953-962.

Sauseng, P., Klimesch W. "What does phase information of oscillatory brain activity tell us about cognitive processes?" *Neuroscience & Biobehavioral Reviews* 32, no. 5 (2008): 1001-1013.

Sauseng, P., Klimesch W., Doppelmayr M., et al. " EEG alpha synchronization and functional coupling during top-down processing in a working memory task." *Human Brain Mapping* 26, no. 148–155 (2005).

Sauseng, P., Klimesch W., Freunberger R., et al. "Relevance of EEG alpha and theta oscillations during task switching." *Experimental Brain Research* 170 (2006): 295–301.

Schneider RH, Grim CE, Rainforth MV, Kotchen T, Nidich SI, Gaylord-King C. Stress reduction in the secondary prevention of cardiovascular disease: Randomized controlled trial of Transcendental Meditation and health education in Blacks. *Circulation: Cardiovascular Quality and Outcomes*, 2012; 5(6):750-8.

Schneider RH, Nidich SI, Salerno JW, Sharma HM, Robinson CE, Nidich RJ. Lower lipid peroxide levels in practitioners of the transcendental meditation programme. *Psychosomatic Medicine*, 1998; 60:38–41.

Sedlmeier P, Eberth J, Schwarz M, Zimmermann D, Haarig F. The psychological effects of meditation: A meta-analysis. *Psychological Bulletin*. 2012;138(6):1139-71.

Torres-Avisbal, JR, Pinel M, Vallejo P, Peran JA, Gonzalez F, et al. Catecholamine levels in practitioners of the transcendental meditation technique. *Physiology & Behavior*. 2001;72(1-2):141-6.

Walton KG, Pugh N, Gelderloos P, Macrae P. Stress reduction and preventing hypertension: Preliminary support for a psychoneuroendocrine mechanism. *Journal of Alternative and Complementary Medicine*. 1995;1(3):263-83.

Walton KG, Schneider RH, Nidich S. Review of controlled research on the Transcendental Meditation Program and Cardiovascular Disease: Risk factors, morbidity, and mortality. *Cardiology in review*. 2004;12(5):262-266.

Yusuf S, Hawken S, Ounpuu S, on behalf of the INTERHEART Study Investigators. Effect of potentially modifiable risk factors associated with myocardial infarction in 52 countries (the INTERHEART study): case-control study. *Lancet*, 2004; 364:937-952.